



Main

Range	Pragma
Product or component type	Enclosure
Enclosure type	Distribution enclosure
Width	570 mm wall: 610 mm outside:
Height	330 mm wall: 360 mm outside:
Depth	30 mm outside: 95 mm wall:
Nb of 18 mm modules per row	24
Nb of horizontal rows	1
Electrical insulation class	Double insulation Class II
Provided equipment	1 x identification label 1 x marking kit 1 x terminal block 1 x blanking plate strip
Type of door	Without

Complementary

Enclosure mounting	Flush
9 mm pitches	48
Total number of 18 mm modules	24
Power dissipation in W	60 W
[In] rated current	125 A
Type of rail	DIN
Mounting plate description	Without mounting plate
Cable entry	Cable or tube Side pre-cutouts

	Removable plates
Comb busbar and distribution block compatibility	XE compatible
Number of terminal blocks	1 earth (Quick) with 26 outgoers
Distribution block outgoers	1 x 25 mm ² for earth 24 x 6 mm ² for earth 1 x 50 mm ² for earth
Enclosure material	Back part: technoplastic Front face: technoplastic Back part: metal Front face: metal
Colour	Enclosure: white (RAL 9016) Front face: grey (RAL 7004)
Targeted country	Belgium France
Embedding depth	95 mm
Internal depth	93 mm

Environment

Fire resistance	Front face: 750 °C Back part: 850 °C
IP degree of protection	IP30 without door IP40 with door
IK degree of protection	IK08 without door IK09 with door
Overvoltage category	II
Ambient air temperature for operation	-25...60 °C
Standards	IEC 60670-1 IEC 60670-24 IEC 61439-1 IEC 61439-3

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Weight	6.65 kg
Package 1 Height	15.5 cm
Package 1 width	38.5 cm
Package 1 Length	64.5 cm
Unit Type of Package 2	P12
Number of Units in Package 2	24
Package 2 Weight	171.6 kg
Package 2 Height	120 cm
Package 2 width	80 cm
Package 2 Length	120 cm

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
RoHS exemption information	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile

Contractual warranty

Warranty	18 months
----------	-----------
